

Web

Results 1 - 97 of about 208 for **infiniband promiscuous clients**. (0.94 seconds)IP over InfiniBand (ipoib) Charter

Current RFC2236/2710 require interface on routers to be in **promiscuous** ...
 Another concern was making sure it was clear that the **client-id** should be ...
www.ietf.org/proceedings/02mar/141.htm - 18k - [Cached](#) - [Similar pages](#)

INTERNET DRAFT <draft-ietf-ipoib-architecture-04.txt> Vivek ...
 1.1 **InfiniBand** Architecture Specification Kashyap [Page 2] **INTERNET-DRAFT** ...
 4.5 DHCPv4 and IPoB DHCPv4 [RFC_2131] utilizes a 'client identifier' field ...
www.ietf.org/internet-drafts/draft-ietf-ipoib-architecture-04.txt - 56k - [Cached](#) - [Similar pages](#)
[\[More results from www.ietf.org \]](#)

Sun Inner Circle

InfiniBand (IB): A high bandwidth, low-latency interconnect fabric that offers
 ... Network File System (NFS) — A **client/server** application designed by Sun ...
www.sun.com/emrkt/innercircle/newsletter/0704glossary.html - 37k - [Cached](#) - [Similar pages](#)

INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-01. ...

... link-multicast-01.txt March 2002 **clients** of the ... another through IB routers at the
InfiniBand network layer ... usually done by turning on **promiscuous** multicast mode ...
www.potaroo.net/ietf/old-ids/draft-ietf-ipoib-link-multicast-01.txt - 29k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

The NextINET Browser

... 850 MB/sec have been achieved with **Infiniband**. ... Storage Resource Broker (SRB) is
client-server middleware ... **Promiscuous** caching therefore requires redundancy and ...
[www.nextinet.org/nextnet/browser.html\(opt,mozilla,pc,english,,NextINet\)?type=13&thesaurus=0500](http://www.nextinet.org/nextnet/browser.html(opt,mozilla,pc,english,,NextINet)?type=13&thesaurus=0500) - 40k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

Alacritech / Frequently Asked Questions

By optimizing TCP/IP performance in digital media servers and **clients**, ...
 IT managers will use **InfiniBand** for clustering applications within data centers, ...
www.alacritech.com/html/faqs.shtml - 54k - [Cached](#) - [Similar pages](#)

Topic list for Tom Sheldon's "Encyclopedia of Networking and ...

InfiniBand Information Appliance Information Warehouse Information Warfare Infrared
 Technologies ... **Promiscuous** Mode Propagation Delay Protocol Analyzers ...
www.linktionary.com/topic_list.html - 69k - [Cached](#) - [Similar pages](#)

www.CplusplusSearch.com - Dedicated Career Site for C++ ...

... The board had **Infiniband** Connectors also and was used to ... server processes the request
 of each **client** in a ... a machine enter into a so-called **promiscuous** mode to ...
www.cplusplussearch.com/adidocs5/Detail.cfm?detail_id=57181&QUERY_AMOUNT=25 - 23k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

INTERNET DRAFT Sean Harnedy InfiniSwitch Corp. Expiration Date ...

... but one could create a **promiscuous** device conceivably. ... The ifIndex of the IPOIB
InfiniBand interface (port ... STATUS current DESCRIPTION "A **Client** Identifier for ...
ietfreport.isoc.org/old-ids/draft-ietf-ipoib-ibif-mib-02.txt - 62k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

Index from Microsoft Encyclopedia of Networking 2nd Edition by ...

Infiniband bus, 194 information events, 97, 450 logging to system log, 1087 ...
 Multicast Address Dynamic **Client** Allocation Protocol (MADCAP), 734, 790 ...
www.microsoft.com/mspress/books/index/5202b.asp - 63k - [Cached](#) - [Similar pages](#)

What's new in Subversion vs. the current release?

Added first version of **Infiniband** RPI module (ib). ... Added "**promiscuous**"
 and "expected" modes for base SSI boot protocols, where connections are ...
www.lam-mpi.org/svn/new.php - 52k - [Cached](#) - [Similar pages](#)

[PDF] LAM/MPI Installation Guide Version 7.1.1

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 LAM/MPI supports the **Infiniband** RPI using the Mellanox Verbs API (VAPI). ...
 By default, LAM's base boot SSI startup protocols disable **promiscuous** ...
www.lam-mpi.org/download/files/7.1.1-install.pdf - [Similar pages](#)
[\[More results from www.lam-mpi.org \]](#)

[fm-news] Newsletter for Sunday, January 16th 2005

... Changes: Enhancements to InfiniBand support. ... It can listen on a **promiscuous** network interface or ... 00:04 Communications :: Email :: Email Clients (MUA) Internet ...
www1.ccone.at/NEWS/msg02247.html - 58k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] Symbols

File Format: PDF/Adobe Acrobat - [View as HTML](#)

promiscuous mode, 97. Internet service provider, 105. ip command, 235 ... IP over Infiniband, 150. Lightweight Directory Access Proto-. col, 269 ...
www.phptr.com/content/images/ 0131448536/index/0131448536_index.pdf - [Similar pages](#)

Three's Company on 802.11 Planet

... Compatibility Alliance (WECA), said Wi-Fi was a "**promiscuous** technology," outstripping ... spectrum space, both agreed that a universal **client** would eventually ...
news.earthweb.com/wireless/article.php/1364281 - 49k - Supplemental Result - [Cached](#) - [Similar pages](#)

INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-03...

... appropriate for all the potential **clients** of the ... IP Multicast Packets Multicast in InfiniBand differs in ... achieved by turning on the **promiscuous** multicast mode ...
www.ietf.cnri.reston.va.us/proceedings/ 03mar/I-D/draft-ietf-ipoib-link-multicast-03.txt - 31k - Supplemental Result - [Cached](#) - [Similar pages](#)

INTERNET-DRAFT HK Jerry Chu <draft-ietf-ipoib-link-multicast-00...

... are appropriate for all the potential **clients** of the ... through IB routers at the InfiniBand network layer ... is usually done by turning on **promiscuous** multicast mode ...
www.ietf.cnri.reston.va.us/proceedings/ 02mar/I-D/draft-ietf-ipoib-link-multicast-00.txt - 30k - Supplemental Result - [Cached](#) - [Similar pages](#)

[[More results from www.ietf.cnri.reston.va.us](#)]

[PDF] Symbols

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... classes of, 546 connection point identifier, 550, 556 example of, 549, 551 fiber-optic, 54, 96, 98, 110, 139, 146, 149, 153, 546, 548 Infiniband reduction ...
informit.staging.informit.mtech.com/ content/images/0131448536/index/0131448536_index.pdf - Supplemental Result - [Similar pages](#)

[PDF] Enscript Output

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... are appropriate for all the potential **clients** of the ... Multicast in InfiniBand differs in a number of ways ... achieved by turning on the **promiscuous** multicast mode ...
www.cs.utk.edu/~moore/I-D-PDF/ draft-ietf-ipoib-link-multicast-04.pdf - Supplemental Result - [Similar pages](#)

[PDF] Enscript Output

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... For current InfiniBand interfaces, this will be equal to 2,000, 8,000, or 24,000. ifPromiscuousMode Usually "false" but one could create a **promiscuous** device ...
www.cs.utk.edu/~moore/I-D-PDF/ draft-ietf-ipoib-ibif-mib-05.pdf - Supplemental Result - [Similar pages](#)
[[More results from www.cs.utk.edu](#)]

[PDF] Linux/SimOS - A Simulation Environment for Evaluating High-speed ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

simulated machine, it can act as an Internet node, such as a NFS **client** or a Web ... how the next generation of HCA should be designed for the InfiniBand ...
academic.csuohio.edu/yuc/papers/Ben-ICPP2002.pdf - [Similar pages](#)

Mailing List Stats For This Week We looked at 1608 posts in 10MB ...

1 posts in 10KB for "[patch 13/13] Cache acls on the nfs **client** side" ... 1 posts in 9KB for "[PATCH][6/12] InfiniBand/mthca: pass full process_mad info to ...
www.kerneltraffic.org/kernel-traffic/ stats/kt20050212_296_stats.html - 65k - [Cached](#) - [Similar pages](#)

Encyclopedia: Ethernet

Promiscuous mode, in computer related fields, is generally used to refer to ... A 10-gigabit ethernet protocol using 4-laned copper Infiniband connectors. ...
www.nationmaster.com/encyclopedia/Ethernet - 119k - [Cached](#) - [Similar pages](#)

ibd.c

ibd.c InfiniBand. /usr/src/uts/common/io/ib/clients/ibd/ibd.c ... Else, just store the 4082 * information, print when we enter **promiscuous** 4083 * mode or ...
cvs.opensolaris.org/source/xref/ usr/src/uts/common/io/ib/clients/ibd/ibd.c - 513k - [Cached](#) - [Similar pages](#)

gld.c

... 658 } 659 660 /* 661 * For now, only Infiniband drivers can use MDT. ... If the **promiscuous** 2013 * state is in flux it doesn't matter much if we get ...
cvs.opensolaris.org/source/ xref/usr/src/uts/common/io/gld.c - 513k - [Cached](#) - [Similar pages](#)

[[More results from cvs.opensolaris.org](#)]

Neohapsis Archives - Freshmeat News - #0015 - [fm-news] Newsletter ...

About: Distributed Checksum Clearinghouse (DCC) is a system of clients and ...
It can listen on a **promiscuous** network interface or read store ...
archives.neohapsis.com/archives/apps/freshmeat/2005-01/0015.html - 66k - [Cached](#) - [Similar pages](#)

Bookpool: Microsoft Encyclopedia of Networking, Second Edition

Multicast Address Dynamic Client Allocation Protocol (MADCAP) 790 ... **promiscuous**
mode 947 protocol 948 protocol converter 948 protocol file 949 ...
www.bookpool.com/sm/0735613788 - 70k - [Cached](#) - [Similar pages](#)

Bookpool: Microsoft Encyclopedia of Networking, Second Edition

... Computing Architecture (ICA) 591 index 592 Infiniband (IB) 592 ... 842 network client
843 Network Client 3 for ... IP address 946 Project 802 947 **promiscuous** mode 947 ...
www.bookpool.com/x/RRRRRRR/sm/0735613788 - 71k - Supplemental Result - [Cached](#) - [Similar pages](#)
[[More results from www.bookpool.com](#)]

INTERNET-DRAFT Sean Harnedy Mangrove Systems, Inc. Expires: April ...

ifPromiscuousMode Usually "false" but one could create a **promiscuous** device ...
InfiniBand Interface MIB Definitions IB-IF-MIB DEFINITIONS ::= BEGIN IMPORTS ...
www1.ietf.org/proceedings_new/04nov/IDs/draft-ietf-ipoib-ibif-mib-07.txt - 58k - [Cached](#) - [Similar pages](#)

Day changed --- Log opened Sun Aug 07 23:59:02 2005 00:25 ...

Tv [~Tv@GMMCMXXXIV.dsl.saunalahti.fi] has quit [Quit: Client exiting] 02:01 -!
... whole Viron thing relies on Infiniband as an internconnect at the moment. ...
www.linode.com/xen/irc/logs/xen.log-2005-08-08 - 38k - [Cached](#) - [Similar pages](#)

SourceForge.net: File Release Notes and Changelog

Due to an insufficient DMA lock checking, any authorized client could send ...
Number Generator support o added: Deny **promiscuous** mode for interfaces o ...
sourceforge.net/project/shownotes.php?group_id=49048&release_id=127402 - 117k - [Cached](#) - [Similar pages](#)

SourceForge.net: File Release Notes and Changelog

... in set_bh_page() o fixed: max_addr_len() for InfiniBand support o ... Generator support
o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...
sourceforge.net/project/shownotes.php?release_id=127402 - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Ethernet: Definition and Much More From Answers.com

Like the client machines, Ethernet switches and hubs also support 10/100 and ...
it uses InfiniBand 4x connectors and CX4 cabling and allows a cable length ...
www.answers.com/topic/ethernet - 93k - [Cached](#) - [Similar pages](#)

ftp.lami.univ-evry.fr/ftp.kernel.org/linux/kernel/...

... in set_bh_page() o fixed: max_addr_len() for InfiniBand support o ... Generator support
o added: Deny **promiscuous** mode for ... running OE w/NAT, where clients behind OE ...
81k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] Contents

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... 219 Client ... 220 Client/Server Computing ...
www.osborne.com/products/0072120053/0072120053_toc.pdf - Supplemental Result - [Similar pages](#)

Edu Rss

roundup Plus: HP to sell Voltaire's InfiniBand switch. ... With stories on 'friends
with benefits' and **promiscuous** sexual behavior, teen sexuality is often ...
www.downes.ca/archive/04/10_18_Edu_RSS.htm - 99k - [Cached](#) - [Similar pages](#)

[PDF] Reporting IETF 62th Minneapolis, March 6th - 11th 2005

File Format: PDF/Adobe Acrobat - [View as HTML](#)
client/server multicast applications (as done for unicast) and to have the ...
There is a problem with another draft in infiniband, that mentions some ID ...
sem2.renater.fr/ipv6/biblio/presentations/IETF62-report.pdf - [Similar pages](#)

Acknowledgments xxxv Preface to the Second Edition xxxvii ...

Multicast Address Dynamic Client Allocation Protocol (MADCAP), 790 ... **promiscuous**
mode, 947, protocol, 948, protocol converter, 948, protocol file, 949 ...
docendo.bai.nu/img/innehall/0735613788.htm - 178k - [Cached](#) - [Similar pages](#)

Usenet replayer's subject overview of "fa.linux.kernel"

... s are needed; [patch 11/13] Client side of ... [openib-general] [PATCH][13/12]
InfiniBand/mthca: initialize ... ethernet driver fails to put port into **promiscuous** or ...

www.usenet-replayer.com/summary/fa.linux.kernel.html - 83k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Changelog from v4.16s -> v4.17s](#) ----- o ...

... in set_bh_page() o fixed: max_addr_len() for InfiniBand support o fixed: ...

Number Generator support o added: Deny promiscuous mode for interfaces o ...

kernel.org/pub/linux/kernel/people/mcp/2.4-WOLK/2.4-WOLK-CHANGELOG - 72k - [Cached](#) - [Similar pages](#)

[\[poc\] Model Cover Page for Deliverables](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

InfiniBand Architecture is a new approach to I/O technology and a common I/O ...

Promiscuous caching therefore requires redundancy and cryptographic ...

edg-wp2.web.cern.ch/edg-wp2/docs/DataGrid-02-D2.1-0105-2_0.doc - [Similar pages](#)

[Computer Sweden - Sveriges IT-tidning - dagliga nyheter om it ...](#)

I icke-avlyssningsläge (non-promiscuous mode) läser de bara adresserna. ...

Med infiniband ska det gå att skicka data i en takt på upp till 2,5 gigabit per ...

computersweden.idg.se/b/446 - 455k - [Cached](#) - [Similar pages](#)

[\[PDF\] Firmware loading using standardized protocols LU Linus Walleij](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Tooth and InfiniBand. It is currently only defined for Ethernet II ... the Ehtereal

packet sniffer in promiscuous mode on my home network, ...

www.df.lth.se/~triad/papers/firmware.pdf - [Similar pages](#)

[Wed Jan 19 2005 Horms <horms@verge.net.au> kernel-2.4.21-27.0.2.EL ...](#)

... (Jim Paradis) - correct promiscuous mode counter handling (Dave Miller) ...

Increase MAX_ADDR_LEN from 8 to 32 for Infiniband over IP (Tom Coughlan) ...

www.ultramoney.org/download/2.0.1/rh.el.3.0/SRPMS/kernel-2.4.21-27.0.2.EL.um.1.ChangeLog - 88k - [Cached](#) - [Similar pages](#)

[kernel-2.4.21-20.EL.asp.i686 RPM](#)

... (Jim Paradis) - correct promiscuous mode counter handling (Dave Miller) ...

tcp client corruption and alignment (Steve Dickson) - rhconfig.h stuff for ...

rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i686/kernel-2.4.21-20.EL.asp.i686.html - 115k - [Cached](#) - [Similar pages](#)

[kernel-doc-2.4.21-20.EL.asp.i386 RPM](#)

... truncate64() on x86_64 (Jim Paradis) - correct promiscuous mode counter

handling (Dave Miller) ... /usr/share/doc/kernel-doc-2.4.21/i2c/writing-clients ...

rpmfind.net/linux/RPM/ASP/i386/updates/9.1/i386/kernel-doc-2.4.21-20.EL.asp.i386.html - 105k - [Cached](#) - [Similar pages](#)

[[More results from rpmfind.net](#)]

[书名 - \[Translate this page \]](#)

... 311 Incident Response 事件响应312 InfiniBand 无限频带312 ... Private Network

专用网络527 Promiscuous Mode 混杂模式 ... 648 Thin Clients 瘦客户机648 ...

www.sanxinbook.com/search/sx_showq.asp?id=127296 - 59k - Supplemental Result - [Cached](#) - [Similar pages](#)

[ftp.irb.hr/pub/kernel/people/mcp/tmp/2.4-WOLK-CHAN...](#)

... in set_bh_page() o fixed: max_addr_len() for InfiniBand support o ... Generator support

o added: Deny promiscuous mode for ... running OE w/NAT, where clients behind OE ...

64k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Linux-Kernel Archive: By Subject](#)

[PATCH 00/16] Add InfiniBand userspace verbs (direct userspace access) ...

[PATCH 6/12] iseries_veth: Fix broken promiscuous handling ...

www.ussg.iu.edu/hypermail/linux/kernel/0506.3/subject.html - 260k - [Cached](#) - [Similar pages](#)

[Linux-Kernel Archive: By Subject](#)

[PATCH][4/12] InfiniBand/core: fix port capability enums bit order ... ppc 8260

ethernet driver fails to put port into promiscuous or multicast modes ...

www.ussg.iu.edu/hypermail/linux/kernel/0501.3/subject.html - 306k - [Cached](#) - [Similar pages](#)

[[More results from www.ussg.iu.edu](#)]

[natasha.stmarytx.edu/pub/linux/kernel/people/mcp/2...](#)

... in set_bh_page() o fixed: max_addr_len() for InfiniBand support o ... Generator support

o added: Deny promiscuous mode for ... running OE w/NAT, where clients behind OE ...

68k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Summary: The Linux kernel \(the core of the Linux operating system ...](#)

... Increase MAX_ADDR_LEN from 8 to 32 for Infiniband over IP %patch2040 -p1 ...

(Jim Paradis) - correct promiscuous mode counter handling (Dave Miller) ...

www.freevps.com/download/make_rpm/freevps-kernel-1.3.spec - 134k - [Cached](#) - [Similar pages](#)

ISP Glossary and Internet Definitions Terms

Infiniband, A standard created by Intel and other server manufacturers to... ..
Promiscuous Mode, Although it sounds naughty, as it relates to networking ...
www.findanyisp.com/allglossary.shtml - 513k - Cached - Similar pages

comp.os.linux.networking: By Thread

Setting network output buffer size Don Brinn (07/22/03); Infiniband switchless
... setup signature not found on diskless client himanshu9813 (07/04/03) ...
linux.derkeiler.com/Newsgroups/ comp.os.linux.networking/2003-07/ - 111k - Cached - Similar pages

Linux-Kernel: By Thread

Patch for CIFS vfs client Nitin (01/31/05); ANNOUNCE: usbutils-0.70 David Brownell ... [2.6 patch] infiniband: possible cleanups Adrian Bunk (01/03/05) ... [linux.derkeiler.com/Mailing-Lists/Kernel/2005-01/ - 391k - Cached - Similar pages](http://linux.derkeiler.com/Mailing-Lists/Kernel/2005-01/-391k-Cached-Similar-pages)

WebWarrior NGC-Archive

However, there are various great free implementations of ssh clients or servers ... By then, every server sold will likely be InfiniBand-capable and the new ... www.webwarrior.net/news/arc3-2001.html - 513k - Cached - Similar pages

RPM Search

correct promiscuous mode counter handling (Dave Miller) ... Increase MAX_ADDR_LEN from 8 to 32 for Infiniband over IP (Tom Coughlan) ...

Inrenet-Drafts Index

This document presents an overview of the InfiniBand architecture. ... In an IPLS, as in a VPLS, LAN interfaces are run in **promiscuous mode**, and frames are ...

DistroWatch.com: Put the fun back into computing. Use Linux, BSD.

distrowatch.openrubas.org/weekly.php?issue=20041115 - 95k - Supplemental Result - Cached - Similar pages

History for LAM/MPI ===== This file contains the ...

... Added first version of Infiniband RPI module ... where to create temporary files - Added "promiscuous" and "expected ... Fixed a problem where the IMPI client was not ... cluster.earlham.edu/html/ detail/cairo/src/lam-7.1-beta-16/HISTORY - 101k - Supplemental Result - Cached - Similar pages

PDF LAM/MPI User's Guide Version 7.1.1

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Regardless of what mpirun believes, attempting to checkpoint the MPI application
 will fail. 3.2.2 Infiniband rpi Module ... Whichever Infiniband driver is (7.1.1) ...
www.eie.fceia.unr.edu.ar/ftp/Digital%20III/2004/ardecom/procesamiento%20paralelo/Lammpi/7.1.1-user.pdf - Supplemental Result - Similar pages

[PDF] ABSTRACT

File Format: PDF/Adobe Acrobat - View as HTML
... To meet a higher I/O needs for network systems, a new InfiniBand Architecture (IBA) [16] was ... InfiniBand has been adopted by most IT vendors as ...
www.huangben.com/Ben.pdf - Supplemental Result - Similar pages

ISP Glossary

Infiniband, A standard created by Intel and other server manufacturers to...
Promiscuous Mode, Although it sounds naughty, as it relates to networking. ...
isprank.com/Glossary.html - 818k - Cached - Similar pages

From: ivan.ivanyi@isb-sib.ch Mon Nov 1 09:14:08 2004 From: ivan ...
Whenever you start tcpdump, the Nic switch to **promiscuous** mode, accepting pretty
much ... What = Infiniband switches and Infiniband cable does ROCKS support. ...
<https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2004-November.txt> - 513k - Cached - Similar pages

From fds@sdsc.edu Tue Jun 1 00:30:53 2004 From: fds@sdsc.edu ...
20 I've not done this myself, but why not have the clients use multicast? ...
a single RPM with the extend-compute.xml file for our InfiniBand drivers. ...
<https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2004-June.txt> - 513k - Cached - Similar pages

Summary: The Linux kernel (the core of the Linux operating system) ...

... MAX_ADDR_LEN from 8 to 32 for Infiniband over IP ... on x86_64 (Jim Paradis) - correct promiscuous mode counter ... up file locks when NFS clients receive signals ...

true promiscuous 802.11b ... protocol, protocol, tdi, tdi client, tdi filter ...
www.my-ip-address.com/ethernet/ - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF](#) [A detailed performance analysis of UDP/IP, TCP/IP, and M-VIA ...](#)
File Format: PDF/Adobe Acrobat
interface in promiscuous mode. It then forms a UDP packet from the ... Since the
primary motivation for InfiniBand technology is to remove I/O process- ...
iospress.metapress.com/index/LN8DHX734DGKYYFK.pdf - [Similar pages](#)

[Adfunkt Tech Assist: July 2005](#)
... it uses InfiniBand 4x connectors and CX4 cabling and allows a cable ...
Since starting this approach, I have generated three new paying clients and ...
adstech.blogspot.com/2005_07_01_adstech_archive.html - 487k - [Cached](#) - [Similar pages](#)

[Changes: V5.1 -> V5.2 2004-11-24 10:55 hardaker * README: update ...](#)
... ifLinkUpDownTrapEnable - don't allow set of promiscuous mode, since it's not
... 2004-07-30 17:26 hardaker * agent/mibgroup/agentx: client.c, client.h, ...
www.opensource.apple.com/darwinsource/10.4.1/net_snmp-16/net_snmp/ChangeLog - 513k - [Cached](#) - [Similar pages](#)

[PDF](#) [Network Algorithmics: An Interdisciplinary Approach to Designing ...](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
... 146 6.3.1 Process per Client 147 6.3.2 Thread per Client 148 6.3.3 Event-Driven
Scheduler 150 6.3.4 Event-Driven Server with Helper Processes 150 ...
downloads.ebuki.powernews.ru/Morgan.Kaufmann/ /Morgan.Kaufmann.Network.Algorithmics.An.Interdisciplinary.A... - Supplemental Result - [Similar pages](#)

[Patch Name: PHKL_31500 Patch Description: s700_800 11.23 Sept04 ...](#)
Any critical resources attached to the Infiniband Subsystem will be ... Resolution:
Btlan wakes up DLPI only once for setting SAP promiscuous mode request. ...
www.informatik.uni-frankfurt.de/RBI/hp-service/patches/s700_800/11.X/PHKL_31500.txt - 914k - [Cached](#) - [Similar pages](#)

[Linux Kernel: by author](#)
Re: 2.6.11-rc2-mm1: kernel bad access while booting diskless client (Jan 27 2005)
... ppc 8260 ethernet driver fails to put port into promiscuous or mu ...
seclists.org/lists/linux-kernel/2005/Jan/author.html - 513k - [Cached](#) - [Similar pages](#)

[XML Articles and definitions](#)
JK Lasser Pro Advising Mature Clients : The New Science of Wealth Span ...
Promiscuous Customers:Invisible Brands: Delivering Value in Digital Markets - ...
homepages.nildram.co.uk/~worrell/bookpage.htm - 513k - [Cached](#) - [Similar pages](#)

[\[fm-news\] Newsletter for Sunday, January 16th 2005](#)
Changes: A helper API for developing customized client GUI modules was implemented
... It can listen on a promiscuous network interface or read store pcap ...
info.ccone.at/NEWS/msg02247.html - 58k - [Cached](#) - [Similar pages](#)

[PDF](#) [C:\Andrzej\PDF\ABC nagrywania p yt CD\1 strona.cdr](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
Page 1. Wydawnictwo Helion ul. Chopina 6 44-100 Gliwice tel. (32)230-98-63 e-mail:
helion@helion.pl PRZYKŁADOWY ROZDZIAŁ PRZYKŁADOWY ROZDZIAŁ IDZ DO IDZ DO ...
czytelnia.top24.pl/modules/booklists/visit.php?cid=4&lid=187 - Supplemental Result - [Similar pages](#)

[Git Tracker](#)
Documentation/infiniband/core_locking.txt, Goto repository ... The bonding driver
handles promiscuous mode changes to the bonding -master device (eg, ...
www.tglx.de/.../showcommit/tracker-linux/ dwmw2/audit-2.6.git/c973b112c76c9d8fd042991128f218a738cc8d0a - 513k - [Cached](#) - [Similar pages](#)

[Linux Kernel Development Mailing List \(date\)](#)
... ethernet driver fails to put port into promiscuous or mu llicast modes, ...
[PATCH][16/18] InfiniBand: update copyrights for new year, Roland Dreier, ...
www.archivum.info/linux-kernel@vger.kernel.org/2005-01/ - 978k - [Cached](#) - [Similar pages](#)

[tonnikala.net : Linux 2.6.7-rc2 -ChangeLog](#)
[PATCH] PCI: Add InfiniBand HCA IDs to pci_ids.h Add InfiniBand HCA IDs to ...
patch avoids a timeout when entering/exiting promiscuous mode with tcpdump. ...
tonnikala.net/2004/22/linux267rc2fullchangelog.php - 135k - [Cached](#) - [Similar pages](#)

[CI Financial Ready To Go Hostile for Amvescap](#)
Master the Media to Attract Your Ideal Clients: A Personal Marketing ...
Promiscuous Customers:Invisible Brands: Delivering Value in Digital Markets - ...
www.softwaretest.force9.co.uk/bookpage.htm - 513k - [Cached](#) - [Similar pages](#)

.....:TopLayer에 오신걸 환영합니다:..... - [[Translate this page](#)]

LAN emulation client. 단일 ELAN 내의 단일 ES를 위해 데이터 포워딩, 주소 분석,

... 센서들은 보통 promiscuous 모드로 작동하며, IP 주소가 없기도 하다. ...

www.f-net.co.kr/toplayer/support/terms.html - 948k - [Cached](#) - [Similar pages](#)

[legal - business registration form](#)

... that depicts Jesus as a promiscuous homosexual), Marcavage ... an AMD64 cluster: Omni

OpenMPPM/Infiniband for Fujitsu ... impressive Flash Chat Client 2005 Valentine ...

www.legal-1st.info/business-registration-form.html - 92k - Supplemental Result - [Cached](#) - [Similar pages](#)

[History for LAM/MPI ===== This file contains the ...](#)

Added first version of Infiniband RPI module (ib). ... Fixed a problem where the

IMPI client was not properly endianizing IMPI_CMD_FINI before sending it to ...

www.polarhome.com:793/doc/lam-7.1.1/HISTORY - 213k - [Cached](#) - [Similar pages](#)


[HighBeam Research](#)

HighBeam Library Research. Search our extensive archive of more than 34 million documents from over 3000 sources -- a vast collection of articles from ...

www.highbeam.com/index.asp?refid=ae_org_1 - 19k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 97 already displayed.

If you like, you can repeat the search with the omitted results included.



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google